



MEDICAL RECORD#			
	DOB		
	NAME		
	VISIT#		

1501 N. Campbell Ave., 5OPC Tucson, AZ 85724 Office: (520) 694-1000 Fax: (520) 694-6101

Abraham Jacob, M.D.

Department of Surgery/Division of Otolaryngology
Otology, Neurotology, and Cranial Base Surgery

DESCRIPTION OF SURGICAL RISKS FOR BONE ANCHORED HEARING AID (BAHA) □ Right □ Left

The following are possible complications and risks associated with these procedures. In addition, all surgical procedures incur the risks of anesthesia, bleeding, wound infections, cosmetic deformity, scars, and unforeseen/uncommon complications.

Loosening of the Prosthetic: This may require re-implantation of the BAHA.

Infection Around the Base of the Prosthetic: This is usually treated with local wound care and antibiotics. However, removal of the prosthetic with later re-implantation may be necessary.

Cerebrospinal Fluid (CSF) leak: A rare complication would include CSF leak from the site of the BAHA. This is usually treated with a pressure dressing, but catheter drainage of CSF may be required.

Bleeding: Occurs in less than 1% of these procedures but may require a pressure dressing or surgical management.

Anesthetic Complications: These are now rare with modern anesthetic techniques. You will meet your anesthetist/anesthesiologist the day of surgery. Please feel free to discuss the anesthetic technique, use of medications, and perioperative care with him/her.

My physician and his staff have made themselves available to answer my questions. I have read, understand, and carefully considered the risks and complications of this surgery, and I accept them.

Patient Signature:	Date:	_ Date:		
Provider Signature:	ID#:	Date:	Military Time:	